

Inhaltsverzeichnis

Betacode transcription table ancient Greek 2



This page was translated from German into English using DeepL.

Please help completing the translation.

(remove this paragraph once the translation is finished)

Betacode transcription table ancient Greek

The following table is intended to illustrate the most important beta-code transcriptions of ancient Greek. Detailed information also on the treatment of Latin, Coptic and Hebrew can be found for example on the website of the TLG under the tag [The Beta Code Manual](#).

UTF-8 (hex.)	Unicode Codeposition	Zeichen	Name	Betacode
e1bc80	U+1F00	ᾀ	GREEK SMALL LETTER ALPHA WITH PSILI	a)
e1bc81	U+1F01	ᾁ	GREEK SMALL LETTER ALPHA WITH DASIA	a(
e1bc82	U+1F02	ᾂ	GREEK SMALL LETTER ALPHA WITH PSILI AND VARIA	a)\
e1bc83	U+1F03	ᾃ	GREEK SMALL LETTER ALPHA WITH DASIA AND VARIA	a(\
e1bc84	U+1F04	ᾄ	GREEK SMALL LETTER ALPHA WITH PSILI AND OXIA	a)/
e1bc85	U+1F05	ᾅ	GREEK SMALL LETTER ALPHA WITH DASIA AND OXIA	a(/
e1bc86	U+1F06	ᾆ	GREEK SMALL LETTER ALPHA WITH PSILI AND PERISPOMENI	a)=
e1bc87	U+1F07	ᾇ	GREEK SMALL LETTER ALPHA WITH DASIA AND PERISPOMENI	a(=
e1bc88	U+1F08	ᾈ	GREEK CAPITAL LETTER ALPHA WITH PSILI	*)a
e1bc89	U+1F09	ᾉ	GREEK CAPITAL LETTER ALPHA WITH DASIA	*(a
e1bc8a	U+1F0A	ᾊ	GREEK CAPITAL LETTER ALPHA WITH PSILI AND VARIA	*)\a
e1bc8b	U+1F0B	ᾋ	GREEK CAPITAL LETTER ALPHA WITH DASIA AND VARIA	*(\a
e1bc8c	U+1F0C	ᾌ	GREEK CAPITAL LETTER ALPHA WITH PSILI AND OXIA	*)/a
e1bc8d	U+1F0D	ᾍ	GREEK CAPITAL LETTER ALPHA WITH DASIA AND OXIA	*(/a
e1bc8e	U+1F0E	ᾎ	GREEK CAPITAL LETTER ALPHA WITH PSILI AND PERISPOMENI	*)=a
e1bc8f	U+1F0F	ᾏ	GREEK CAPITAL LETTER ALPHA WITH DASIA AND PERISPOMENI	*(=a
e1bc90	U+1F10	ᾐ	GREEK SMALL LETTER EPSILON WITH PSILI	e)
e1bc91	U+1F11	ᾑ	GREEK SMALL LETTER EPSILON WITH DASIA	e(
e1bc92	U+1F12	ᾒ	GREEK SMALL LETTER EPSILON WITH PSILI AND VARIA	e)\
e1bc93	U+1F13	ᾃ	GREEK SMALL LETTER EPSILON WITH DASIA AND VARIA	e(\

UTF-8 (hex.)	Unicode Codeposition	Zeichen	Name	Betacode
e1bc94	U+1F14	ϵ̅	GREEK SMALL LETTER EPSILON WITH PSILI AND OXIA	e)/
e1bc95	U+1F15	ϵ̅	GREEK SMALL LETTER EPSILON WITH DASIA AND OXIA	e(/
e1bc98	U+1F18	Ε̅	GREEK CAPITAL LETTER EPSILON WITH PSILI	*)e
e1bc99	U+1F19	Ε̅	GREEK CAPITAL LETTER EPSILON WITH DASIA	*(e
e1bc9a	U+1F1A	Ἐ̅	GREEK CAPITAL LETTER EPSILON WITH PSILI AND VARIA	*)\e
e1bc9b	U+1F1B	Ἐ̅	GREEK CAPITAL LETTER EPSILON WITH DASIA AND VARIA	*(\e
e1bc9c	U+1F1C	Ἐ̅	GREEK CAPITAL LETTER EPSILON WITH PSILI AND OXIA	*)/e
e1bc9d	U+1F1D	Ἐ̅	GREEK CAPITAL LETTER EPSILON WITH DASIA AND OXIA	*/(e
e1bca0	U+1F20	ή̅	GREEK SMALL LETTER ETA WITH PSILI	h)
e1bca1	U+1F21	ή̅	GREEK SMALL LETTER ETA WITH DASIA	h(
e1bca2	U+1F22	ἦ̅	GREEK SMALL LETTER ETA WITH PSILI AND VARIA	h)\
e1bca3	U+1F23	ἦ̅	GREEK SMALL LETTER ETA WITH DASIA AND VARIA	h(\
e1bca4	U+1F24	ἦ̅	GREEK SMALL LETTER ETA WITH PSILI AND OXIA	h)/
e1bca5	U+1F25	ἦ̅	GREEK SMALL LETTER ETA WITH DASIA AND OXIA	h(/
e1bca6	U+1F26	ἤ̅	GREEK SMALL LETTER ETA WITH PSILI AND PERISPOMENI	h)=
e1bca7	U+1F27	ἤ̅	GREEK SMALL LETTER ETA WITH DASIA AND PERISPOMENI	h(=
e1bca8	U+1F28	Ἡ̅	GREEK CAPITAL LETTER ETA WITH PSILI	*)h
e1bca9	U+1F29	Ἡ̅	GREEK CAPITAL LETTER ETA WITH DASIA	*(h
e1bcaa	U+1F2A	Ἠ̅	GREEK CAPITAL LETTER ETA WITH PSILI AND VARIA	*)\h
e1bcab	U+1F2B	Ἠ̅	GREEK CAPITAL LETTER ETA WITH DASIA AND VARIA	*(\h
e1bcac	U+1F2C	Ἠ̅	GREEK CAPITAL LETTER ETA WITH PSILI AND OXIA	*)/h
e1bcad	U+1F2D	Ἠ̅	GREEK CAPITAL LETTER ETA WITH DASIA AND OXIA	*/(h
e1bcae	U+1F2E	Ἡ̅	GREEK CAPITAL LETTER ETA WITH PSILI AND PERISPOMENI	*)=h
e1bcaf	U+1F2F	Ἡ̅	GREEK CAPITAL LETTER ETA WITH DASIA AND PERISPOMENI	*(=h
e1bcb0	U+1F30	ϊ̅	GREEK SMALL LETTER IOTA WITH PSILI	i)
e1bcb1	U+1F31	ϊ̅	GREEK SMALL LETTER IOTA WITH DASIA	i(
e1bcb2	U+1F32	ῖ̅	GREEK SMALL LETTER IOTA WITH PSILI AND VARIA	i)\
e1bcb3	U+1F33	ῖ̅	GREEK SMALL LETTER IOTA WITH DASIA AND VARIA	i(\

UTF-8 (hex.)	Unicode Codeposition	Zeichen	Name	Betacode
e1bcb4	U+1F34	ι	GREEK SMALL LETTER IOTA WITH PSILI AND OXIA	i)/
e1bcb5	U+1F35	ι	GREEK SMALL LETTER IOTA WITH DASIA AND OXIA	i(/
e1bcb6	U+1F36	ι	GREEK SMALL LETTER IOTA WITH PSILI AND PERISPOMENI	i)=
e1bcb7	U+1F37	ι	GREEK SMALL LETTER IOTA WITH DASIA AND PERISPOMENI	i(=
e1bcb8	U+1F38	Ι	GREEK CAPITAL LETTER IOTA WITH PSILI	*)i
e1bcb9	U+1F39	Ι	GREEK CAPITAL LETTER IOTA WITH DASIA	*(i
e1bcba	U+1F3A	Ι	GREEK CAPITAL LETTER IOTA WITH PSILI AND VARIA	*)\i
e1bcbb	U+1F3B	Ι	GREEK CAPITAL LETTER IOTA WITH DASIA AND VARIA	*(\i
e1bcbc	U+1F3C	Ι	GREEK CAPITAL LETTER IOTA WITH PSILI AND OXIA	*)/i
e1bcbd	U+1F3D	Ι	GREEK CAPITAL LETTER IOTA WITH DASIA AND OXIA	*/(i
e1bcbe	U+1F3E	Ι	GREEK CAPITAL LETTER IOTA WITH PSILI AND PERISPOMENI	*)=i
e1bcbf	U+1F3F	Ι	GREEK CAPITAL LETTER IOTA WITH DASIA AND PERISPOMENI	*(=i
e1bd80	U+1F40	ο	GREEK SMALL LETTER OMICRON WITH PSILI	o)
e1bd81	U+1F41	ο	GREEK SMALL LETTER OMICRON WITH DASIA	o(
e1bd82	U+1F42	ο	GREEK SMALL LETTER OMICRON WITH PSILI AND VARIA	o)\
e1bd83	U+1F43	ο	GREEK SMALL LETTER OMICRON WITH DASIA AND VARIA	o(\
e1bd84	U+1F44	ο	GREEK SMALL LETTER OMICRON WITH PSILI AND OXIA	o)/
e1bd85	U+1F45	ο	GREEK SMALL LETTER OMICRON WITH DASIA AND OXIA	o(/
e1bd88	U+1F48	Ο	GREEK CAPITAL LETTER OMICRON WITH PSILI	*)o
e1bd89	U+1F49	Ο	GREEK CAPITAL LETTER OMICRON WITH DASIA	*(o
e1bd8a	U+1F4A	Ο	GREEK CAPITAL LETTER OMICRON WITH PSILI AND VARIA	*)\o
e1bd8b	U+1F4B	Ο	GREEK CAPITAL LETTER OMICRON WITH DASIA AND VARIA	*(\o
e1bd8c	U+1F4C	Ο	GREEK CAPITAL LETTER OMICRON WITH PSILI AND OXIA	*)/o
e1bd8d	U+1F4D	Ο	GREEK CAPITAL LETTER OMICRON WITH DASIA AND OXIA	*/(o
e1bd90	U+1F50	υ	GREEK SMALL LETTER UPSILON WITH PSILI	u)
e1bd91	U+1F51	υ	GREEK SMALL LETTER UPSILON WITH DASIA	u(
e1bd92	U+1F52	υ	GREEK SMALL LETTER UPSILON WITH PSILI AND VARIA	u)\
e1bd93	U+1F53	υ	GREEK SMALL LETTER UPSILON WITH DASIA AND VARIA	u(\

UTF-8 (hex.)	Unicode Codeposition	Zeichen	Name	Betacode
e1bd94	U+1F54	Ϸ	GREEK SMALL LETTER UPSILON WITH PSILI AND OXIA	u)/
e1bd95	U+1F55	ϸ	GREEK SMALL LETTER UPSILON WITH DASIA AND OXIA	u(/
e1bd96	U+1F56	Ϲ	GREEK SMALL LETTER UPSILON WITH PSILI AND PERISPOMENI	u)=
e1bd97	U+1F57	Ϻ	GREEK SMALL LETTER UPSILON WITH DASIA AND PERISPOMENI	u(=
e1bd99	U+1F59	Υ	GREEK CAPITAL LETTER UPSILON WITH DASIA	*(u
e1bd9b	U+1F5B	Ϻ	GREEK CAPITAL LETTER UPSILON WITH DASIA AND VARIA	*(\u
e1bd9d	U+1F5D	ϻ	GREEK CAPITAL LETTER UPSILON WITH DASIA AND OXIA	*/u
e1bd9f	U+1F5F	ϼ	GREEK CAPITAL LETTER UPSILON WITH DASIA AND PERISPOMENI	*(=u
e1bda0	U+1F60	Ϸ	GREEK SMALL LETTER OMEGA WITH PSILI	w)
e1bda1	U+1F61	ϸ	GREEK SMALL LETTER OMEGA WITH DASIA	w(
e1bda2	U+1F62	Ϲ	GREEK SMALL LETTER OMEGA WITH PSILI AND VARIA	w)\
e1bda3	U+1F63	Ϻ	GREEK SMALL LETTER OMEGA WITH DASIA AND VARIA	w(\
e1bda4	U+1F64	ϻ	GREEK SMALL LETTER OMEGA WITH PSILI AND OXIA	w)/
e1bda5	U+1F65	ϼ	GREEK SMALL LETTER OMEGA WITH DASIA AND OXIA	w(/
e1bda6	U+1F66	Ͻ	GREEK SMALL LETTER OMEGA WITH PSILI AND PERISPOMENI	w)=
e1bda7	U+1F67	Ͽ	GREEK SMALL LETTER OMEGA WITH DASIA AND PERISPOMENI	w(=
e1bda8	U+1F68	Ω	GREEK CAPITAL LETTER OMEGA WITH PSILI	*)w
e1bda9	U+1F69	Ϡ	GREEK CAPITAL LETTER OMEGA WITH DASIA	*(w
e1bdaa	U+1F6A	ϡ	GREEK CAPITAL LETTER OMEGA WITH PSILI AND VARIA	*)\w
e1bdab	U+1F6B	Ϣ	GREEK CAPITAL LETTER OMEGA WITH DASIA AND VARIA	*(\w
e1bdac	U+1F6C	ϣ	GREEK CAPITAL LETTER OMEGA WITH PSILI AND OXIA	*)/w
e1bdad	U+1F6D	Ϥ	GREEK CAPITAL LETTER OMEGA WITH DASIA AND OXIA	*/w
e1bdae	U+1F6E	ϥ	GREEK CAPITAL LETTER OMEGA WITH PSILI AND PERISPOMENI	*)=w
e1bdaf	U+1F6F	Ϧ	GREEK CAPITAL LETTER OMEGA WITH DASIA AND PERISPOMENI	*(=w
e1bdb0	U+1F70	α	GREEK SMALL LETTER ALPHA WITH VARIA	a\
e1bdb1	U+1F71	ά	GREEK SMALL LETTER ALPHA WITH OXIA	a/
e1bdb2	U+1F72	ε	GREEK SMALL LETTER EPSILON WITH VARIA	e\
e1bdb3	U+1F73	έ	GREEK SMALL LETTER EPSILON WITH OXIA	e/
e1bdb4	U+1F74	ή	GREEK SMALL LETTER ETA WITH VARIA	h\

UTF-8 (hex.)	Unicode Codeposition	Zeichen	Name	Betacode
e1bdb5	U+1F75	ή	GREEK SMALL LETTER ETA WITH OXIA	h/
e1bdb6	U+1F76	ι	GREEK SMALL LETTER IOTA WITH VARIA	i\
e1bdb7	U+1F77	ί	GREEK SMALL LETTER IOTA WITH OXIA	i/
e1bdb8	U+1F78	ο	GREEK SMALL LETTER OMICRON WITH VARIA	o\
e1bdb9	U+1F79	ό	GREEK SMALL LETTER OMICRON WITH OXIA	o/
e1bdba	U+1F7A	υ	GREEK SMALL LETTER UPSILON WITH VARIA	u\
e1bdbb	U+1F7B	ύ	GREEK SMALL LETTER UPSILON WITH OXIA	u/
e1bdbc	U+1F7C	ω	GREEK SMALL LETTER OMEGA WITH VARIA	w\
e1bdbd	U+1F7D	ώ	GREEK SMALL LETTER OMEGA WITH OXIA	w/
e1be80	U+1F80	ᾀ	GREEK SMALL LETTER ALPHA WITH PSILI AND YPOGEGRAMMENI	a
e1be81	U+1F81	ᾁ	GREEK SMALL LETTER ALPHA WITH DASIA AND YPOGEGRAMMENI	a(
e1be82	U+1F82	ᾂ	GREEK SMALL LETTER ALPHA WITH PSILI AND VARIA AND YPOGEGRAMMENI	a)\
e1be83	U+1F83	ᾃ	GREEK SMALL LETTER ALPHA WITH DASIA AND VARIA AND YPOGEGRAMMENI	a(\
e1be84	U+1F84	ᾄ	GREEK SMALL LETTER ALPHA WITH PSILI AND OXIA AND YPOGEGRAMMENI	a)/
e1be85	U+1F85	ᾅ	GREEK SMALL LETTER ALPHA WITH DASIA AND OXIA AND YPOGEGRAMMENI	a(/
e1be86	U+1F86	ᾆ	GREEK SMALL LETTER ALPHA WITH PSILI AND PERISPOMENI AND YPOGEGRAMMENI	a)=
e1be87	U+1F87	ᾇ	GREEK SMALL LETTER ALPHA WITH DASIA AND PERISPOMENI AND YPOGEGRAMMENI	a(=
e1be88	U+1F88	Ἀ	GREEK CAPITAL LETTER ALPHA WITH PSILI AND PROSGEGRAMMENI	*) a
e1be89	U+1F89	Ἀ	GREEK CAPITAL LETTER ALPHA WITH DASIA AND PROSGEGRAMMENI	*(a
e1be8a	U+1F8A	Ἄ	GREEK CAPITAL LETTER ALPHA WITH PSILI AND VARIA AND PROSGEGRAMMENI	*)\ a
e1be8b	U+1F8B	Ἄ	GREEK CAPITAL LETTER ALPHA WITH DASIA AND VARIA AND PROSGEGRAMMENI	*(\ a
e1be8c	U+1F8C	Ἐ	GREEK CAPITAL LETTER ALPHA WITH PSILI AND OXIA AND PROSGEGRAMMENI	*)/ a
e1be8d	U+1F8D	Ἐ	GREEK CAPITAL LETTER ALPHA WITH DASIA AND OXIA AND PROSGEGRAMMENI	*(/ a
e1be8e	U+1F8E	Ἠ	GREEK CAPITAL LETTER ALPHA WITH PSILI AND PERISPOMENI AND PROSGEGRAMMENI	*)= a
e1be8f	U+1F8F	Ἠ	GREEK CAPITAL LETTER ALPHA WITH DASIA AND PERISPOMENI AND PROSGEGRAMMENI	*(= a
e1be90	U+1F90	ἥ	GREEK SMALL LETTER ETA WITH PSILI AND YPOGEGRAMMENI	h)
e1be91	U+1F91	ἇ	GREEK SMALL LETTER ETA WITH DASIA AND YPOGEGRAMMENI	h(
e1be92	U+1F92	Ἡ	GREEK SMALL LETTER ETA WITH PSILI AND VARIA AND YPOGEGRAMMENI	h)\

UTF-8 (hex.)	Unicode Codeposition	Zeichen	Name	Betacode
e1be93	U+1F93	ἥ	GREEK SMALL LETTER ETA WITH DASIA AND VARIA AND YPOGEGRAMMENI	h(\
e1be94	U+1F94	ἧ	GREEK SMALL LETTER ETA WITH PSILI AND OXIA AND YPOGEGRAMMENI	h)/
e1be95	U+1F95	ἧ	GREEK SMALL LETTER ETA WITH DASIA AND OXIA AND YPOGEGRAMMENI	h(/
e1be96	U+1F96	ἧ	GREEK SMALL LETTER ETA WITH PSILI AND PERISPOMENI AND YPOGEGRAMMENI	h)=
e1be97	U+1F97	ἧ	GREEK SMALL LETTER ETA WITH DASIA AND PERISPOMENI AND YPOGEGRAMMENI	h(=
e1be98	U+1F98	Ἠ	GREEK CAPITAL LETTER ETA WITH PSILI AND PROSGEGRAMMENI	*) h
e1be99	U+1F99	Ἠ	GREEK CAPITAL LETTER ETA WITH DASIA AND PROSGEGRAMMENI	*(h
e1be9a	U+1F9A	Ἠ	GREEK CAPITAL LETTER ETA WITH PSILI AND VARIA AND PROSGEGRAMMENI	*)\ h
e1be9b	U+1F9B	Ἠ	GREEK CAPITAL LETTER ETA WITH DASIA AND VARIA AND PROSGEGRAMMENI	*(\ h
e1be9c	U+1F9C	Ἠ	GREEK CAPITAL LETTER ETA WITH PSILI AND OXIA AND PROSGEGRAMMENI	*)/ h
e1be9d	U+1F9D	Ἠ	GREEK CAPITAL LETTER ETA WITH DASIA AND OXIA AND PROSGEGRAMMENI	*(/ h
e1be9e	U+1F9E	Ἠ	GREEK CAPITAL LETTER ETA WITH PSILI AND PERISPOMENI AND PROSGEGRAMMENI	*)= h
e1be9f	U+1F9F	Ἠ	GREEK CAPITAL LETTER ETA WITH DASIA AND PERISPOMENI AND PROSGEGRAMMENI	*(= h
e1bea0	U+1FA0	ὦ	GREEK SMALL LETTER OMEGA WITH PSILI AND YPOGEGRAMMENI	w)
e1bea1	U+1FA1	ὦ	GREEK SMALL LETTER OMEGA WITH DASIA AND YPOGEGRAMMENI	w(
e1bea2	U+1FA2	ὦ	GREEK SMALL LETTER OMEGA WITH PSILI AND VARIA AND YPOGEGRAMMENI	w)\
e1bea3	U+1FA3	ὦ	GREEK SMALL LETTER OMEGA WITH DASIA AND VARIA AND YPOGEGRAMMENI	w(\
e1bea4	U+1FA4	ὦ	GREEK SMALL LETTER OMEGA WITH PSILI AND OXIA AND YPOGEGRAMMENI	w)/
e1bea5	U+1FA5	ὦ	GREEK SMALL LETTER OMEGA WITH DASIA AND OXIA AND YPOGEGRAMMENI	w(/
e1bea6	U+1FA6	ὦ	GREEK SMALL LETTER OMEGA WITH PSILI AND PERISPOMENI AND YPOGEGRAMMENI	w)=
e1bea7	U+1FA7	ὦ	GREEK SMALL LETTER OMEGA WITH DASIA AND PERISPOMENI AND YPOGEGRAMMENI	w(=
e1bea8	U+1FA8	Ὠ	GREEK CAPITAL LETTER OMEGA WITH PSILI AND PROSGEGRAMMENI	*) w
e1bea9	U+1FA9	Ὠ	GREEK CAPITAL LETTER OMEGA WITH DASIA AND PROSGEGRAMMENI	*(w
e1beaa	U+1FAA	Ὠ	GREEK CAPITAL LETTER OMEGA WITH PSILI AND VARIA AND PROSGEGRAMMENI	*)\ w

UTF-8 (hex.)	Unicode Codeposition	Zeichen	Name	Betacode
e1beab	U+1FAB	Ω̑	GREEK CAPITAL LETTER OMEGA WITH DASIA AND VARIA AND PROSGEGRAMMENI	*(\ w
e1beac	U+1FAC	Ω̑̂	GREEK CAPITAL LETTER OMEGA WITH PSILI AND OXIA AND PROSGEGRAMMENI	*)/ w
e1bead	U+1FAD	Ω̑̃	GREEK CAPITAL LETTER OMEGA WITH DASIA AND OXIA AND PROSGEGRAMMENI	*(/ w
e1beae	U+1FAE	Ω̑̄	GREEK CAPITAL LETTER OMEGA WITH PSILI AND PERISPOMENI AND PROSGEGRAMMENI	*)= w
e1beaf	U+1FAF	Ω̑̅	GREEK CAPITAL LETTER OMEGA WITH DASIA AND PERISPOMENI AND PROSGEGRAMMENI	*(= w
e1beb0	U+1FB0	α̑	GREEK SMALL LETTER ALPHA WITH VRACHY	a%27
e1beb1	U+1FB1	α̑̂	GREEK SMALL LETTER ALPHA WITH MACRON	a%26
e1beb2	U+1FB2	α̑̃	GREEK SMALL LETTER ALPHA WITH VARIA AND YPOGEGRAMMENI	a \
e1beb3	U+1FB3	α̑̄	GREEK SMALL LETTER ALPHA WITH YPOGEGRAMMENI	a
e1beb4	U+1FB4	α̑̅	GREEK SMALL LETTER ALPHA WITH OXIA AND YPOGEGRAMMENI	a/
e1beb6	U+1FB6	α̑̄̂	GREEK SMALL LETTER ALPHA WITH PERISPOMENI	a=
e1beb7	U+1FB7	α̑̄̃	GREEK SMALL LETTER ALPHA WITH PERISPOMENI AND YPOGEGRAMMENI	a=
e1beb8	U+1FB8	Α̑̂	GREEK CAPITAL LETTER ALPHA WITH VRACHY	*%27a
e1beb9	U+1FB9	Α̑̂̂	GREEK CAPITAL LETTER ALPHA WITH MACRON	*%26a
e1beba	U+1FBA	Α̑̂̃	GREEK CAPITAL LETTER ALPHA WITH VARIA	*\a
e1bebb	U+1FBB	Α̑̂̅	GREEK CAPITAL LETTER ALPHA WITH OXIA	*/a
e1bebc	U+1FBC	Α̑̂̄	GREEK CAPITAL LETTER ALPHA WITH PROSGEGRAMMENI	* a
e1bebd	U+1FBD	Ͱ	GREEK KORONIS	
e1bebe	U+1FBE	ͱ	GREEK PROSGEGRAMMENI	
e1bebf	U+1FBF	Ͳ	GREEK PSILI)
e1bf80	U+1FC0	ͳ	GREEK PERISPOMENI	=
e1bf81	U+1FC1	ʹ	GREEK DIALYTIKA AND PERISPOMENI	+ =
e1bf82	U+1FC2	η̑̂	GREEK SMALL LETTER ETA WITH VARIA AND YPOGEGRAMMENI	h \
e1bf83	U+1FC3	η̑̂̂	GREEK SMALL LETTER ETA WITH YPOGEGRAMMENI	h
e1bf84	U+1FC4	η̑̂̃	GREEK SMALL LETTER ETA WITH OXIA AND YPOGEGRAMMENI	h/
e1bf86	U+1FC6	η̑̂̄̂	GREEK SMALL LETTER ETA WITH PERISPOMENI	h=
e1bf87	U+1FC7	η̑̂̄̃̂	GREEK SMALL LETTER ETA WITH PERISPOMENI AND YPOGEGRAMMENI	h=
e1bf88	U+1FC8	Ε̑̂	GREEK CAPITAL LETTER EPSILON WITH VARIA	*\e
e1bf89	U+1FC9	Ε̑̂̂	GREEK CAPITAL LETTER EPSILON WITH OXIA	*/e
e1bf8a	U+1FCA	Η̑̂	GREEK CAPITAL LETTER ETA WITH VARIA	*\h
e1bf8b	U+1FCB	Η̑̂̂	GREEK CAPITAL LETTER ETA WITH OXIA	*/h

UTF-8 (hex.)	Unicode Codeposition	Zeichen	Name	Betacode
e1bf8c	U+1FCC	Ἠ	GREEK CAPITAL LETTER ETA WITH PROSGEGRAMMENI	* h
e1bf8d	U+1FCD	ἦ	GREEK PSILI AND VARIA)\
e1bf8e	U+1FCE	ἦ̂	GREEK PSILI AND OXIA)/
e1bf8f	U+1FCF	ἦ̃	GREEK PSILI AND PERISPOMENI)=
e1bf90	U+1FD0	ἰ	GREEK SMALL LETTER IOTA WITH VRACHY	i%27
e1bf91	U+1FD1	ἱ	GREEK SMALL LETTER IOTA WITH MACRON	i%26
e1bf92	U+1FD2	ἰ̂	GREEK SMALL LETTER IOTA WITH DIALYTIKA AND VARIA	i+\
e1bf93	U+1FD3	ἰ̃	GREEK SMALL LETTER IOTA WITH DIALYTIKA AND OXIA	i+/\
e1bf96	U+1FD6	ἰ̄	GREEK SMALL LETTER IOTA WITH PERISPOMENI	i=
e1bf97	U+1FD7	ἰ̅	GREEK SMALL LETTER IOTA WITH DIALYTIKA AND PERISPOMENI	i+=
e1bf98	U+1FD8	Ἰ	GREEK CAPITAL LETTER IOTA WITH VRACHY	;%27i
e1bf99	U+1FD9	Ἱ	GREEK CAPITAL LETTER IOTA WITH MACRON	;%26i
e1bf9a	U+1FDA	Ἰ̂	GREEK CAPITAL LETTER IOTA WITH VARIA	*\i
e1bf9b	U+1FDB	Ἰ̃	GREEK CAPITAL LETTER IOTA WITH OXIA	*/i
e1bf9d	U+1FDD	Ἠ̄	GREEK DASIA AND VARIA	(\
e1bf9e	U+1FDE	Ἠ̂̄	GREEK DASIA AND OXIA	(/
e1bf9f	U+1FDF	Ἠ̃̄	GREEK DASIA AND PERISPOMENI	(=
e1bfa0	U+1FE0	ῶ	GREEK SMALL LETTER UPSILON WITH VRACHY	u%27
e1bfa1	U+1FE1	ῷ	GREEK SMALL LETTER UPSILON WITH MACRON	u%26
e1bfa2	U+1FE2	ῶ̂	GREEK SMALL LETTER UPSILON WITH DIALYTIKA AND VARIA	u+\
e1bfa3	U+1FE3	ῶ̃	GREEK SMALL LETTER UPSILON WITH DIALYTIKA AND OXIA	u+/\
e1bfa4	U+1FE4	ῷ̄	GREEK SMALL LETTER RHO WITH PSILI	r)
e1bfa5	U+1FE5	ῶ̄	GREEK SMALL LETTER RHO WITH DASIA	r(
e1bfa6	U+1FE6	ῶ̅	GREEK SMALL LETTER UPSILON WITH PERISPOMENI	u=
e1bfa7	U+1FE7	ῶ̅̄	GREEK SMALL LETTER UPSILON WITH DIALYTIKA AND PERISPOMENI	u+=
e1bfa8	U+1FE8	Ὼ	GREEK CAPITAL LETTER UPSILON WITH VRACHY	;%27u
e1bfa9	U+1FE9	Ώ	GREEK CAPITAL LETTER UPSILON WITH MACRON	;%26u
e1bfaa	U+1FEA	Ὼ̂	GREEK CAPITAL LETTER UPSILON WITH VARIA	*\u
e1bfab	U+1FEB	Ὼ̃	GREEK CAPITAL LETTER UPSILON WITH OXIA	*/u
e1bfac	U+1FEC	Ὼ̄	GREEK CAPITAL LETTER RHO WITH DASIA	*(r
e1bfad	U+1FED	ῶ̂̄	GREEK DIALYTIKA AND VARIA	+\ +)
e1bfae	U+1FEE	ῶ̃̄	GREEK DIALYTIKA AND OXIA	+/\
e1bfaf	U+1FEF	ῶ̅̄	GREEK VARIA	\
e1bfb2	U+1FF2	ὦ	GREEK SMALL LETTER OMEGA WITH VARIA AND YPOGEGRAMMENI	w \

UTF-8 (hex.)	Unicode Codeposition	Zeichen	Name	Betacode
e1bfb3	U+1FF3	ω	GREEK SMALL LETTER OMEGA WITH YPOGEGRAMMENI	w
e1bfb4	U+1FF4	ώ	GREEK SMALL LETTER OMEGA WITH OXIA AND YPOGEGRAMMENI	w/
e1bfb6	U+1FF6	ῶ	GREEK SMALL LETTER OMEGA WITH PERISPOMENI	w=
e1bfb7	U+1FF7	ῷ	GREEK SMALL LETTER OMEGA WITH PERISPOMENI AND YPOGEGRAMMENI	w=
e1bfb8	U+1FF8	Ϟ	GREEK CAPITAL LETTER OMICRON WITH VARIA	*\o
e1bfb9	U+1FF9	Ό	GREEK CAPITAL LETTER OMICRON WITH OXIA	*\o
e1bfba	U+1FFA	Ϟ	GREEK CAPITAL LETTER OMEGA WITH VARIA	*\w
e1bfbb	U+1FFB	Ω	GREEK CAPITAL LETTER OMEGA WITH OXIA	*\w
e1bfbc	U+1FFC	Ϟ	GREEK CAPITAL LETTER OMEGA WITH PROSGEGRAMMENI	* w
e1bfbd	U+1FFD	Ϛ	GREEK OXIA	/
e1bfbe	U+1FFE	ϛ	GREEK DASIA	(
cdb0	U+0370	Η	GREEK CAPITAL LETTER HETA	
cdb1	U+0371	η	GREEK SMALL LETTER HETA	
cdb2	U+0372	Ϻ	GREEK CAPITAL LETTER ARCHAIC SAMPI	
cdb3	U+0373	ϻ	GREEK SMALL LETTER ARCHAIC SAMPI	
cdb4	U+0374	Ϝ	GREEK NUMERAL SIGN	
cdb5	U+0375	ϝ	GREEK LOWER NUMERAL SIGN	
cdb6	U+0376	Ϟ	GREEK CAPITAL LETTER PAMPHYLIAN DIGAMMA	
cdb7	U+0377	ϟ	GREEK SMALL LETTER PAMPHYLIAN DIGAMMA	
cdba	U+037A	Ϡ	GREEK YPOGEGRAMMENI	
cdbb	U+037B	ϡ	GREEK SMALL REVERSED LUNATE SIGMA SYMBOL	
cdbc	U+037C	Ϣ	GREEK SMALL DOTTED LUNATE SIGMA SYMBOL	
cdbd	U+037D	ϣ	GREEK SMALL REVERSED DOTTED LUNATE SIGMA SYMBOL	
cdbe	U+037E	Ϥ	GREEK QUESTION MARK	
ce84	U+0384	Ϛ	GREEK TONOS	
ce85	U+0385	ϛ	GREEK DIALYTIKA TONOS	
ce86	U+0386	Α	GREEK CAPITAL LETTER ALPHA WITH TONOS	*\a
ce87	U+0387	·	GREEK ANO TELEIA	
ce88	U+0388	Ε	GREEK CAPITAL LETTER EPSILON WITH TONOS	*\e
ce89	U+0389	Η	GREEK CAPITAL LETTER ETA WITH TONOS	*\h
ce8a	U+038A	Ι	GREEK CAPITAL LETTER IOTA WITH TONOS	*\i
ce8c	U+038C	Ο	GREEK CAPITAL LETTER OMICRON WITH TONOS	*\o
ce8e	U+038E	Υ	GREEK CAPITAL LETTER UPSILON WITH TONOS	*\u
ce8f	U+038F	Ω	GREEK CAPITAL LETTER OMEGA WITH TONOS	*\w
ce90	U+0390	ι	GREEK SMALL LETTER IOTA WITH DIALYTIKA AND TONOS	i+/\
ce91	U+0391	Α	GREEK CAPITAL LETTER ALPHA	*a
ce92	U+0392	Β	GREEK CAPITAL LETTER BETA	*b
ce93	U+0393	Γ	GREEK CAPITAL LETTER GAMMA	*g

UTF-8 (hex.)	Unicode Codeposition	Zeichen	Name	Betacode
ce94	U+0394	Δ	GREEK CAPITAL LETTER DELTA	*d
ce95	U+0395	Ε	GREEK CAPITAL LETTER EPSILON	*e
ce96	U+0396	Ζ	GREEK CAPITAL LETTER ZETA	*z
ce97	U+0397	Η	GREEK CAPITAL LETTER ETA	*h
ce98	U+0398	Θ	GREEK CAPITAL LETTER THETA	*q
ce99	U+0399	Ι	GREEK CAPITAL LETTER IOTA	*i
ce9a	U+039A	Κ	GREEK CAPITAL LETTER KAPPA	*k
ce9b	U+039B	Λ	GREEK CAPITAL LETTER LAMDA	*l
ce9c	U+039C	Μ	GREEK CAPITAL LETTER MU	*m
ce9d	U+039D	Ν	GREEK CAPITAL LETTER NU	*n
ce9e	U+039E	Ξ	GREEK CAPITAL LETTER XI	*c
ce9f	U+039F	Ο	GREEK CAPITAL LETTER OMICRON	*o
cea0	U+03A0	Π	GREEK CAPITAL LETTER PI	*p
cea1	U+03A1	Ρ	GREEK CAPITAL LETTER RHO	*r
cea3	U+03A3	Σ	GREEK CAPITAL LETTER SIGMA	*s
cea4	U+03A4	Τ	GREEK CAPITAL LETTER TAU	*t
cea5	U+03A5	Υ	GREEK CAPITAL LETTER UPSILON	*u
cea6	U+03A6	Φ	GREEK CAPITAL LETTER PHI	*f
cea7	U+03A7	Χ	GREEK CAPITAL LETTER CHI	*x
cea8	U+03A8	Ψ	GREEK CAPITAL LETTER PSI	*y
cea9	U+03A9	Ω	GREEK CAPITAL LETTER OMEGA	*w
ceaa	U+03AA	Ϊ	GREEK CAPITAL LETTER IOTA WITH DIALYTIKA	*+i
ceab	U+03AB	Ϋ	GREEK CAPITAL LETTER UPSILON WITH DIALYTIKA	*+u
ceac	U+03AC	Ά	GREEK SMALL LETTER ALPHA WITH TONOS	a/
cead	U+03AD	Έ	GREEK SMALL LETTER EPSILON WITH TONOS	e/
ceae	U+03AE	Ή	GREEK SMALL LETTER ETA WITH TONOS	h/
ceaf	U+03AF	Ί	GREEK SMALL LETTER IOTA WITH TONOS	i/
ceb0	U+03B0	Ϊ́	GREEK SMALL LETTER UPSILON WITH DIALYTIKA AND TONOS	u+/
ceb1	U+03B1	α	GREEK SMALL LETTER ALPHA	a
ceb2	U+03B2	β	GREEK SMALL LETTER BETA	b
ceb3	U+03B3	γ	GREEK SMALL LETTER GAMMA	g
ceb4	U+03B4	δ	GREEK SMALL LETTER DELTA	d
ceb5	U+03B5	ε	GREEK SMALL LETTER EPSILON	e
ceb6	U+03B6	ζ	GREEK SMALL LETTER ZETA	z
ceb7	U+03B7	η	GREEK SMALL LETTER ETA	h
ceb8	U+03B8	θ	GREEK SMALL LETTER THETA	q
ceb9	U+03B9	ι	GREEK SMALL LETTER IOTA	i
ceba	U+03BA	κ	GREEK SMALL LETTER KAPPA	k
cebb	U+03BB	λ	GREEK SMALL LETTER LAMDA	l
cebc	U+03BC	μ	GREEK SMALL LETTER MU	m
cebd	U+03BD	ν	GREEK SMALL LETTER NU	n
cebe	U+03BE	ξ	GREEK SMALL LETTER XI	c
cebf	U+03BF	ο	GREEK SMALL LETTER OMICRON	o

UTF-8 (hex.)	Unicode Codeposition	Zeichen	Name	Betacode
cf80	U+03C0	π	GREEK SMALL LETTER PI	p
cf81	U+03C1	ρ	GREEK SMALL LETTER RHO	r
cf82	U+03C2	ς	GREEK SMALL LETTER FINAL SIGMA	s2
cf83	U+03C3	σ	GREEK SMALL LETTER SIGMA	s
cf84	U+03C4	τ	GREEK SMALL LETTER TAU	t
cf85	U+03C5	υ	GREEK SMALL LETTER UPSILON	u
cf86	U+03C6	φ	GREEK SMALL LETTER PHI	f
cf87	U+03C7	χ	GREEK SMALL LETTER CHI	x
cf88	U+03C8	ψ	GREEK SMALL LETTER PSI	y
cf89	U+03C9	ω	GREEK SMALL LETTER OMEGA	w
cf8a	U+03CA	ϊ	GREEK SMALL LETTER IOTA WITH DIALYTIKA	i+
cf8b	U+03CB	ϋ	GREEK SMALL LETTER UPSILON WITH DIALYTIKA	u+
cf8c	U+03CC	ό	GREEK SMALL LETTER OMICRON WITH TONOS	o/
cf8d	U+03CD	ύ	GREEK SMALL LETTER UPSILON WITH TONOS	u/
cf8e	U+03CE	ώ	GREEK SMALL LETTER OMEGA WITH TONOS	w/
cf8f	U+03CF	Ϛ	GREEK CAPITAL KAI SYMBOL	
cf90	U+03D0	β	GREEK BETA SYMBOL	
cf91	U+03D1	θ	GREEK THETA SYMBOL	
cf92	U+03D2	Ϛ	GREEK UPSILON WITH HOOK SYMBOL	
cf93	U+03D3	ϛ	GREEK UPSILON WITH ACUTE AND HOOK SYMBOL	
cf94	U+03D4	Ϝ	GREEK UPSILON WITH DIAERESIS AND HOOK SYMBOL	
cf95	U+03D5	ϕ	GREEK PHI SYMBOL	
cf96	U+03D6	ϖ	GREEK PI SYMBOL	
cf97	U+03D7	ϗ	GREEK KAI SYMBOL	
cf98	U+03D8	Ϙ	GREEK LETTER ARCHAIC KOPPA	
cf99	U+03D9	ϙ	GREEK SMALL LETTER ARCHAIC KOPPA	
cf9a	U+03DA	Ϛ	GREEK LETTER STIGMA	
cf9b	U+03DB	ς	GREEK SMALL LETTER STIGMA	
cf9c	U+03DC	Ϝ	GREEK LETTER DIGAMMA	*v
cf9d	U+03DD	ϝ	GREEK SMALL LETTER DIGAMMA	v
cf9e	U+03DE	Ϟ	GREEK LETTER KOPPA	
cf9f	U+03DF	ϟ	GREEK SMALL LETTER KOPPA	
cfa0	U+03E0	Ϡ	GREEK LETTER SAMPI	
cfa1	U+03E1	ϡ	GREEK SMALL LETTER SAMPI	
cfa2	U+03E2	Ϣ	COPTIC CAPITAL LETTER SHEI	
cfa3	U+03E3	ϣ	COPTIC SMALL LETTER SHEI	
cfa4	U+03E4	Ϥ	COPTIC CAPITAL LETTER FEI	
cfa5	U+03E5	ϥ	COPTIC SMALL LETTER FEI	
cfa6	U+03E6	Ϧ	COPTIC CAPITAL LETTER KHEI	
cfa7	U+03E7	ϧ	COPTIC SMALL LETTER KHEI	
cfa8	U+03E8	Ϩ	COPTIC CAPITAL LETTER HORI	
cfa9	U+03E9	ϩ	COPTIC SMALL LETTER HORI	
cfaa	U+03EA	Ϫ	COPTIC CAPITAL LETTER GANGIA	

UTF-8 (hex.)	Unicode Codeposition	Zeichen	Name	Betacode
cfab	U+03EB	ⲁ	COPTIC SMALL LETTER GANGIA	
cfac	U+03EC	Ⲃ	COPTIC CAPITAL LETTER SHIMA	
cfad	U+03ED	ⲃ	COPTIC SMALL LETTER SHIMA	
cfae	U+03EE	Ⲅ	COPTIC CAPITAL LETTER DEI	
cfaf	U+03EF	ⲅ	COPTIC SMALL LETTER DEI	
cfb0	U+03F0	Ⲇ	GREEK KAPPA SYMBOL	
cfb1	U+03F1	ⲇ	GREEK RHO SYMBOL	
cfb2	U+03F2	Ⲉ	GREEK LUNATE SIGMA SYMBOL	
cfb3	U+03F3	ⲉ	GREEK LETTER YOT	
cfb4	U+03F4	Ⲋ	GREEK CAPITAL THETA SYMBOL	
cfb5	U+03F5	ⲋ	GREEK LUNATE EPSILON SYMBOL	
cfb6	U+03F6	Ⲍ	GREEK REVERSED LUNATE EPSILON SYMBOL	
cfb7	U+03F7	ⲍ	GREEK CAPITAL LETTER SHO	
cfb8	U+03F8	Ⲏ	GREEK SMALL LETTER SHO	
cfb9	U+03F9	ⲏ	GREEK CAPITAL LUNATE SIGMA SYMBOL	
cfba	U+03FA	Ⲑ	GREEK CAPITAL LETTER SAN	
cfbb	U+03FB	ⲑ	GREEK SMALL LETTER SAN	
cfbc	U+03FC	Ⲓ	GREEK RHO WITH STROKE SYMBOL	
cfbd	U+03FD	ⲓ	GREEK CAPITAL REVERSED LUNATE SIGMA SYMBOL	
cfbe	U+03FE	Ⲕ	GREEK CAPITAL DOTTED LUNATE SIGMA SYMBOL	
cfbf	U+03FF	ⲕ	GREEK CAPITAL REVERSED DOTTED LUNATE SIGMA SYMBOL	
cc80	U+0300	˘	COMBINING GRAVE ACCENT	\
cc81	U+0301	˙	COMBINING ACUTE ACCENT	/
cc82	U+0302	ˆ	COMBINING CIRCUMFLEX ACCENT	
cc83	U+0303	˜	COMBINING TILDE	
cc84	U+0304	ˉ	COMBINING MACRON	
cc85	U+0305	ˉ	COMBINING OVERLINE	
cc86	U+0306	˘	COMBINING BREVE	
cc87	U+0307	˙	COMBINING DOT ABOVE	
cc88	U+0308	¨	COMBINING DIAERESIS	=
cc89	U+0309	ˆ	COMBINING HOOK ABOVE	
cc8a	U+030A	ˆ	COMBINING RING ABOVE	
cc8b	U+030B	ˆ	COMBINING DOUBLE ACUTE ACCENT	
cc8c	U+030C	ˇ	COMBINING CARON	
cc8d	U+030D	ˆ	COMBINING VERTICAL LINE ABOVE	
cc8e	U+030E	ˆ	COMBINING DOUBLE VERTICAL LINE ABOVE	
cc8f	U+030F	˘	COMBINING DOUBLE GRAVE ACCENT	
cc90	U+0310	˙	COMBINING CANDRABINDU	
cc91	U+0311	˘	COMBINING INVERTED BREVE	
cc92	U+0312	ˆ	COMBINING TURNED COMMA ABOVE	
cc93	U+0313	ˆ	COMBINING COMMA ABOVE)
cc94	U+0314	ˆ	COMBINING REVERSED COMMA ABOVE	(
cc95	U+0315	ˆ	COMBINING COMMA ABOVE RIGHT	

UTF-8 (hex.)	Unicode Codeposition	Zeichen	Name	Betacode
cc96	U+0316	˘	COMBINING GRAVE ACCENT BELOW	
cc97	U+0317	◌̣	COMBINING ACUTE ACCENT BELOW	
cc98	U+0318	◌̵	COMBINING LEFT TACK BELOW	
cc99	U+0319	◌̶	COMBINING RIGHT TACK BELOW	
cc9a	U+031A	◌̷	COMBINING LEFT ANGLE ABOVE	
cc9b	U+031B	◌̸	COMBINING HORN	
cc9c	U+031C	◌̹	COMBINING LEFT HALF RING BELOW	
cc9d	U+031D	◌̺	COMBINING UP TACK BELOW	
cc9e	U+031E	◌̻	COMBINING DOWN TACK BELOW	
cc9f	U+031F	◌̼	COMBINING PLUS SIGN BELOW	
cca0	U+0320	◌̽	COMBINING MINUS SIGN BELOW	
cca1	U+0321	◌̾	COMBINING PALATALIZED HOOK BELOW	
cca2	U+0322	◌̿	COMBINING RETROFLEX HOOK BELOW	
cca3	U+0323	◌̀	COMBINING DOT BELOW	
cca4	U+0324	◌̿	COMBINING DIAERESIS BELOW	
cca5	U+0325	◌̽	COMBINING RING BELOW	
cca6	U+0326	◌̾	COMBINING COMMA BELOW	
cca7	U+0327	◌̿	COMBINING CEDILLA	
cca8	U+0328	◌̽	COMBINING OGONEK	
cca9	U+0329	◌̺	COMBINING VERTICAL LINE BELOW	
ccaa	U+032A	◌̻	COMBINING BRIDGE BELOW	
ccab	U+032B	◌̼	COMBINING INVERTED DOUBLE ARCH BELOW	
ccac	U+032C	◌̽	COMBINING CARON BELOW	
ccad	U+032D	◌̾	COMBINING CIRCUMFLEX ACCENT BELOW	
ccae	U+032E	◌̿	COMBINING BREVE BELOW	
ccaf	U+032F	◌̽	COMBINING INVERTED BREVE BELOW	
ccb0	U+0330	◌̾	COMBINING TILDE BELOW	
ccb1	U+0331	◌̿	COMBINING MACRON BELOW	
ccb2	U+0332	◌̽	COMBINING LOW LINE	
ccb3	U+0333	◌̾	COMBINING DOUBLE LOW LINE	
ccb4	U+0334	◌̽	COMBINING TILDE OVERLAY	
ccb5	U+0335	◌̾	COMBINING SHORT STROKE OVERLAY	
ccb6	U+0336	◌̽	COMBINING LONG STROKE OVERLAY	
ccb7	U+0337	◌̾	COMBINING SHORT SOLIDUS OVERLAY	
ccb8	U+0338	◌̽	COMBINING LONG SOLIDUS OVERLAY	
ccb9	U+0339	◌̹	COMBINING RIGHT HALF RING BELOW	
ccba	U+033A	◌̻	COMBINING INVERTED BRIDGE BELOW	
ccbb	U+033B	◌̼	COMBINING SQUARE BELOW	
ccbc	U+033C	◌̽	COMBINING SEAGULL BELOW	
ccbd	U+033D	◌̾	COMBINING X ABOVE	
ccbe	U+033E	◌̽	COMBINING VERTICAL TILDE	
ccbf	U+033F	◌̾	COMBINING DOUBLE OVERLINE	
cd80	U+0340	◌̽	COMBINING GRAVE TONE MARK	
cd81	U+0341	◌̾	COMBINING ACUTE TONE MARK	

UTF-8 (hex.)	Unicode Codeposition	Zeichen	Name	Betacode
cd82	U+0342	˜	COMBINING GREEK PERISPOMENI	=
cd83	U+0343	͂	COMBINING GREEK KORONIS	
cd84	U+0344	̓	COMBINING GREEK DIALYTIKA TONOS	
cd85	U+0345	̈́	COMBINING GREEK YPOGEGRAMMENI	
cd86	U+0346	ͅ	COMBINING BRIDGE ABOVE	
cd87	U+0347	͆	COMBINING EQUALS SIGN BELOW	
cd88	U+0348	͇	COMBINING DOUBLE VERTICAL LINE BELOW	
cd89	U+0349	͈	COMBINING LEFT ANGLE BELOW	
cd8a	U+034A	͉	COMBINING NOT TILDE ABOVE	
cd8b	U+034B	͊	COMBINING HOMOTHETIC ABOVE	
cd8c	U+034C	͋	COMBINING ALMOST EQUAL TO ABOVE	
cd8d	U+034D	͌	COMBINING LEFT RIGHT ARROW BELOW	
cd8e	U+034E	͍	COMBINING UPWARDS ARROW BELOW	
cd8f	U+034F	͎	COMBINING GRAPHEME JOINER	
cd90	U+0350	͏	COMBINING RIGHT ARROWHEAD ABOVE	
cd91	U+0351	͐	COMBINING LEFT HALF RING ABOVE	
cd92	U+0352	͑	COMBINING FERMATA	
cd93	U+0353	͒	COMBINING X BELOW	
cd94	U+0354	͓	COMBINING LEFT ARROWHEAD BELOW	
cd95	U+0355	͔	COMBINING RIGHT ARROWHEAD BELOW	
cd96	U+0356	͕	COMBINING RIGHT ARROWHEAD AND UP ARROWHEAD BELOW	
cd97	U+0357	͖	COMBINING RIGHT HALF RING ABOVE	
cd98	U+0358	͗	COMBINING DOT ABOVE RIGHT	
cd99	U+0359	͘	COMBINING ASTERISK BELOW	
cd9a	U+035A	͙	COMBINING DOUBLE RING BELOW	
cd9b	U+035B	͚	COMBINING ZIGZAG ABOVE	
cd9c	U+035C	͛	COMBINING DOUBLE BREVE BELOW	
cd9d	U+035D	͜	COMBINING DOUBLE BREVE	
cd9e	U+035E	͝	COMBINING DOUBLE MACRON	
cd9f	U+035F	͞	COMBINING DOUBLE MACRON BELOW	
cda0	U+0360	͟	COMBINING DOUBLE TILDE	
cda1	U+0361	͠	COMBINING DOUBLE INVERTED BREVE	
cda2	U+0362	͡	COMBINING DOUBLE RIGHTWARDS ARROW BELOW	
cda3	U+0363	͢	COMBINING LATIN SMALL LETTER A	
cda4	U+0364	ͣ	COMBINING LATIN SMALL LETTER E	
cda5	U+0365	ͤ	COMBINING LATIN SMALL LETTER I	
cda6	U+0366	ͥ	COMBINING LATIN SMALL LETTER O	
cda7	U+0367	ͦ	COMBINING LATIN SMALL LETTER U	
cda8	U+0368	ͧ	COMBINING LATIN SMALL LETTER C	
cda9	U+0369	ͨ	COMBINING LATIN SMALL LETTER D	
cdaa	U+036A	ͩ	COMBINING LATIN SMALL LETTER H	
cdab	U+036B	ͪ	COMBINING LATIN SMALL LETTER M	
cdac	U+036C	ͫ	COMBINING LATIN SMALL LETTER R	

UTF-8 (hex.)	Unicode Codeposition	Zeichen	Name	Betacode
cdad	U+036D	◌̣	COMBINING LATIN SMALL LETTER T	
cdae	U+036E	◌̤	COMBINING LATIN SMALL LETTER V	
cdaf	U+036F	◌̥	COMBINING LATIN SMALL LETTER X	
c3ab	U+00EB	ë	LATIN SMALL LETTER E WITH DIAERESIS	e+

From:

<http://replicatio.science/dokuwiki/> - **documentatio replicationis**

Permanent link:

<http://replicatio.science/dokuwiki/doku.php/en/glossar/greekbetacode?rev=1678697843>

Last update: **2023-03-13**

